



Ritmo

PLASTIC WELDING TECHNOLOGY





RITMO S.P.A. is a 30 year experienced company and leader in manufacturing of plastic welding equipment. All products are designed and built according to International standards and directives (UNI, ISO, CEE). Since the very beginning, quality and technology innovation are RITMO's milestones, and time after time, this philosophy is always more recognized by the global market. RITMO strong points are its ideas to design and produce accurate, fast, versatile, modular and easy-to-use welding machines. Products range includes butt fusion, electrofusion and extrusion equipment. Ritmo is also providing a complete line of accessories and useful instruments for pipe cutting and weld preparation such as the band saws. RITMO's regards towards the client has brought to the new-born "RITMO FUSION OPERATOR SCHOOL", which is a welding school with the goal of building qualified personnel and spread the knowledge about the technical potentiality of RITMO's equipment: TECHNOLOGY MADE IN ITALY.



ISO 9001
Quality System

...the result of
our joint
efforts





DELTA DRAGON 315 B



Self-aligning hydraulic butt fusion machine, suitable for welding under-pressure pipes for water, gas and other fluids up to Ø 315 mm. Built according to the national and international standards (UNI 10565, ISO 12176-1), **DELTA DRAGON 315 B** presents very interesting innovations. It includes:

- **A machine body** able to assume two working position: inclined or horizontal. The rotation of the machine body INCLINED/HORIZONTAL is very fast, by adjusting only 4 screws on the machine frame is possible to choose the best configuration for the working conditions. It comes with the fast-locking-adapters system SMARTLock (white master adapters), which speed up the welding preparation time without using any additional equipment. It features a device (applicable on every welding configuration: between the 2nd and 3rd clamps or 3rd and 4th clamps) which allows the automatic detach of the heating plate from the pipes/fittings. Two rollers can be lodged very quickly on the sides of the machine body. These accessories allow lifting up the welded pipes to make them roll and quickly prepare a new weld.

- **A Teflon-coated (PTFE)** heating plate with a built-in independent thermometer, to check the working temperature, and an high-precision electronic thermoregulator "Digital Dragon" ($\pm 1^\circ\text{C}$) which comes in a protective waterproof casing with digital display and regulating buttons. This new system includes Led indicators to check if the machine is working normally (live tension and working temperature), contingent probe's failures and/or temperature anomalies.

- **A milling cutter** that is equipped with a safety micro-switch to prevent from accidental starts, a thermal circuit breaker to protect the engine and also features an ergonomic docking system and on/off switches.

- **An electro-hydraulic gearcase** protected from crashes and atmospheric corrosion by a plastic box. It includes a control lever to open and close the clamps, maximum pressure and discharge valves (useful also for the "Dual Pressure" welding process), hydraulic connection hoses with non-drip fast couplings and timer (to check the warming and welding time).

- **A milling cutter/heating plate support** which comes with a high-temperature-proof bag, which also avoid the heating element from being scratched.

DELTA DRAGON 315 B, thanks to the machine body configurations, is able to weld fittings like elbows, tees, Y-branches and flanges necks.

STANDARD COMPOSITION:

- Machine body with bag and service keys;
- Heating plate TP DELTA 315 TE;
- Milling cutter;
- Gearbox;
- Milling cutter/Heating plate support.

TECHNICAL FEATURES

Working range	90 ÷ 315 mm
Power supply	230 V
	Single phase - 50/60 Hz
Total absorbed power	4420 W
Working temperature	180 ÷ 280°C
Outside temperature range	-5 ÷ +40°C
Time to reach welding temperature	< 20 min.
Materials	HDPE, PP, PB, PVDF For other materials contact RITMO spa

DIMENSIONS (W x D x H)	
Machine body	1150 x 530 x 531 mm

WEIGHT	
Machine body	86,00 Kg
Standard composition	160,00 Kg

ON REQUEST (ACCESSORIES)


- EASY LIFE gearbox;
- Clamps' inserts from Ø 90 to 280 mm with 250 mm Master adapters;
- Tool to weld flange necks/stub-end holder;
- Roller kit with lever applicable on the sides of the machine body;
- Clamps' wooden transportation box;
- Transportation trolley for milling cutter, heating element and gearbox;
- INSPECTOR Data-logging.



Heater with Digital Dragon



Master Insert



Detach device for heater



Ritmo
PLASTIC WELDING TECHNOLOGY

WHERE THERE'S PLASTIC TO WELD



CONTACT RITMO!

BASIC LINE

BUTT FUSION MACHINES



RITMO S.p.A.
Via A. Volta, 7 35037
Bressano di Teolo (PADOVA) ITALY

Ph. +39 049 9901888
Fax +39 049 9901993

info@ritmo.it
www.ritmo.it